

# Casting

## Alliages et normes

WROUGHT COPPER ALLOYS				
ISO	European Standard	UNS	Lba	Comments
COPPERS (>99% Cu) (C10100 to C15999)				
CuAl203		C15735	BICOP	
HIGH COPPER ALLOYS (>96%Cu) (C16000 to C19999)				
CuBe2	CW101C	C17200	CB2	Also fits RWMA classes 4
CuCoBe	CW104C		CB4	Also fits RWMA classes 3
CuNi2Si	CC331G	C18000	N55 N56	Also fits RWMA classes 3
CuCr1Zr	CW106C	C18150	CRM16 CRM16E	Also fits RWMA classes 2
CuCr1	CW105C	C18200	CRM15	Also fits RWMA classes 2
CAST COPPER ALLOYS				
ISO	European Standard	UNS	Lba	Comments
COPPERS & HIGH COPPER ALLOYS (>96%Cu) (C80000 to C83299)				
Cu-C	EN 1982 / CC 040 A	C81100 C81200	Cu	
CuCr1-C	EN 1982 / CC 140 C	C 81500	CuCr1 F35	